


credativ 2018











Actively	· 1992 – 1996	
,	. 1997 – 1990	PN.D.
Working	$\cdot 1996 - 1998$	Project Manager
U	· 1998 – 2000	Branch Manager
On	· Since 2000	President/CEO
Open Source		





24/7/365

Phone

Email


Remote

On-site

US/EU/India

Open Source Support Center

- Consulting
- Installation
- > Administration
- > Operations
- Training
- Support



Open Source Support Center





Current State Of The Community

Forks



credativ 2018





Incompatible differences in

Plenty

Statements

Of > Datatypes

Differences

- Storage
- Features



(c) Alexander Madyankin, Roman Shamin



credativ 2018





Current State Of The Community

Forks








Business Models	Create IP	Different Solutions
VS.	Resources	Diverging Code
Community		
















Software

Development

Silicon Valley PostgresConf 2018



Vendoring is the act of making your own copy of the 3rd party packages your project is using. Those copies are traditionally placed inside each project and then saved in the project repository.



Vendoring

Vendoring is the conceptual opposite of using a dependency manager





Flatpak

Modern

- > Snap
- > AppImage
- Docker

Deployment

Methods

> Appliances> Cloud

© Tomomarusan





Current State Of The Community

Cloud







	Configure	database	servers
--	-----------	----------	---------

Monitor and maintain system health and security

Administrator

Database

- Design backup processes for server and associated data
- > Establish a disaster recovery protocols

Responsibilities

Schedule and perform regular server maintenance






	Complete solution
Elephant	No external dependencies
Shed	> Modular
- Design	Covers most use case
Goals	Easily adjustable and extendable

Ease of use

credativ 2018


















all active PostgreSQL versions

for

all active distribution versions

Apt

Postgresql

Org

- 3-4 Debian Releases + 3-4 Ubuntu Releases
- 6 PostgreSQL Releases
- Server, Extensions, Modules
- 3 Architectures

200 different source packages

25,473 binary packages



[©] Syllabub@ Wikimedia Commons

credativ 2018





Jenkins

Tests are done automatically

Quality

Asssurance

Continuous Integration Server

 Source build source packages

• Binary – build binary packages ==== Running all tests with tight umask 077
=====
=== Running test 001_packages.t ... ===
1..19
PostgreSQL versions installed: 9.4
ok 1 - postgresql-9.4 installed
ok 2 - postgresql-plpython-9.4 installed
ok 3 - postgresql-plperl-9.4 installed
ok 4 - postgresql-plperl-9.4 installed
ok 5 - postgresql-pltcl-9.4 installed
ok 6 - postgresql-server-dev-9.4 installed
ok 7 - postgresql-contrib-9.4 installed
ok 8 - libecpg-dev installed





					.			
Portal		Cluster	Port	Data dire	ectory	Archiving	Full Backup	Incr Backup
	•	9.6/main	5432	/mnt/pgdata/9	.6/main			
		sys	temd	Rep	oort		Backup	
-		Mgmt	Log	• Run	Show •	Full	Incr Inf	ĒO
	•	9.6/standby	5433	/mnt/pgdata/9	.6/standby			
			sy	stemd	Report	Bac	kup	
PostgreSQL			Mgmt	Log •	Run	Full	Incr	
	•	9.6/testing	5434	/mnt/pgdata/9	.6/testing			
			sy	stemd	Report	Bac	kup	
Clusters			Mgmt	Log	Run	Full	Incr	

PostgreSQL Cluster

credativ 2018



systemd

System

&

Service

Manager

Silicon Valley PostgresConf 2018



PostgreSQL Cluster 9.6-main	
active (running) Since 7.7.2017, 10:24:42	Stop
loaded (/lib/systemd/system/postgresql@.service; disabled) This unit i	is an instance of the postgresql@.service template.
Service Logs	
July 17, 2017	
11:25 [1535-53]	postgres-9.6-main
11:25 [1535-52] LIMIT 25;	postgres-9.6-main
11:25 [1535-51] ORDER BY calls DESC	postgres-9.6-main
11:25 [1535-50] ON pss2.userid = pu2.usesysid	postgres-9.6-main
11:25 [1535-49] JOIN pg_user pu2	postgres-9.6-main
11:25 [1535-48] ON pss2.dbid = pd2.oid	postgres-9.6-main
11:25 [1535-47] JOIN pg_database pd2	postgres-9.6-main
11:25 [1535-46] FROM pg_stat_statements pss2	postgres-9.6-main
11:25 [1535-45] , temp_blks_written	postgres-9.6-main
11:25 [1535-44] , temp blks read	postgres-9.6-main





Cockpit

System

Management

92.168.121.225	Dashboard		
/stem	Targets System Services Sockets Timers Paths		
ervices			
ogs	Enabled		
orage	Description	Id	State
etworking	autovt@.service Template	autovt@.service	
	autovi@.service remplate	autovite.service	
counts	Regular background program processing daemon	cron.service	active (running)
rminal	getty@.service Template	getty@.service	
	Modem Manager	ModemManager.service	active (running)
	Raise network interfaces	networking.service	active (exited)
	Network Manager Script Dispatcher Service	NetworkManager-dispatcher.service	inactive (dead)

1

St






pgAdmin4

Manage

PostgreSQL








Grafana

Analytics

Visualization

Monitoring

Dashboard with data from different sources








Dashboard with data from different sources

Analytics

Grafana


Visualization

Monitoring










credativ 2018





pgBadger

Reporting







Services » pgbackrest@9.6-main.service

Backup PostgreSQL cluster 9.6-main using pgBackRest		
inactive (dead)		Start ~
loaded (/lib/systemd/system/pgbackrest@.service; static)	This unit is an instance of the pgbackrest@.service template.	Mask ~

Service Logs	
July 10, 2017	
18:37 Started Backup PostgreSQL cluster 9.6-main using pgBackRest.	systemd
18:37 2017-07-10 16:37:30.207 P00 INFO: expire command end: completed successfully	pgbackrest@9.6-main
18:37 2017-07-10 16:37:30.207 P00 INFO: option 'retention-archive' is not set - archive logs will not b	pgbackrest@9.6-main
18:37 2017-07-10 16:37:30.202 P00 INFO: expire command begin 1.20:log-level-console=inforepo-path	pgbackrest@9.6-main
18:37 2017-07-10 16:37:30.201 P00 INFO: backup command end: completed successfully	pgbackrest@9.6-main
18:37 2017-07-10 16:37:29.838 P00 INFO: new backup label = 20170710-163709F	pgbackrest@9.6-main
18:37 2017-07-10 16:37:29.138 P00 INFO: backup stop archive = 00000001000000000000000A, lsn = 0/A000130	pgbackrest@9.6-main
18:37 2017-07-10 16:37:26.007 P00 INFO: execute non-exclusive pg_stop_backup() and wait for all WAL seg	pgbackrest@9.6-main
18:37 2017-07-10 16:37:26.007 P00 INFO: full backup size = 177.5MB	pgbackrest@9.6-main
18:37 2017-07-10 16:37:25.995 P01 INFO: backup file /var/lib/postgresql/9.6/main/base/1/12246 (0B, 100%)	pgbackrest@9.6-main

pgBackRest

Backup

&

Restore





Shell In A Box – Web based terminal

Additional

Ferm – Firewalling toolkit for creating iptables rules

Tools

- > Tmate Remote control
- > Etckeeper Configuration revisioning





Roadmap	Port to RPM		
_	Central control of multiple instances		
Always	> Optimized cloud versions		
100%	≻ Hot Stand-By		
Open			
Source	> Failover		





Remote management of PostgreSQL instances **PGApi** Cluster-Management: Create / Drop Start / Stop / Restart / Reload / Promote Cluster configuration: Port / shared buffers / ... Next > pg hba management Version Standby creation via pg basebackup Management of pgBackrest tasks

Portal re-design for new functionality





Taking Care of the Elephant

Meskes

Michael

https://elephant-shed.io/



credativ 2018